

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(encrypting data).ti. and 711/???.ccls.	USPAT	ADJ	ON	2008/04/14 06:42
L2	820	(encrypt\$3 near5 (attribute or indicator or flag) near5 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L3	29	(encrypt\$3 near5 (attribute or indicator or flag) near5 data) and 711/???.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L4	4	(data near4 encrypt \$3).ti. and 711/???.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L5	1284	(encrypt\$3 near4 data) with (flag or attribute or indicator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L6	171	((encrypt\$3 near4 data) with (flag or attribute or indicator)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L7	66	((encrypt\$3 near4 data) with (flag or attribute or indicator)).ab. and (network or node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L8	1540	(error near3 data) near6 (attribute or characteristic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L9	211	(error data) near6 (attribute or characteristic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42

L10	6	(error data) near6 (attribute or characteristic) and 711/???ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L11	0	(report\$3 or notifi\$6) near4 (error data) near6 (attribute or characteristic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L12	470	(report\$3 or notifi\$6) near4 (error data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L13	68	((report\$3 or notifi \$6) near4 (error data)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L15	75	device ID bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L16	390	hitachi.as. and virtual volume	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L17	164	hitachi.as. and (virtual volume).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L18	892312	hitachi.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L19	59	device ID bit and (bridge or switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L20	1	identify\$3 near4 physical device and cache near2 (switch or bridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42

L21	490	table near4 device ID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L22	29	(encrypt\$3 near5 (attribute or indicator or flag) near5 data) and 711/???.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L23	3	device ID bit and (cache or buffer) near4 (switch or bridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L24	228	identify\$3 near4 physical device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L25	0	device ID flag and (cache or buffer) near4 (switch or bridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L26	0	(flag or bit or indicator) near5 identify\$3 near4 device and cache near2 (switch or bridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L27	300	table near4 device ID and (switch or bridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L28	101	identify\$3 near4 device and cache near2 (switch or bridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L29	15	table near4 device ID and (switch or bridge) near2 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L30	308	table near4 device ID and (switch or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42

L31	4	(data near4 encrypt \$3).ti. and 711/???.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L32	171	((encrypt\$3 near4 data) with (flag or attribute or indicator)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L33	0	(report\$3 or notifi\$6) near4 (error data) near6 (attribute or characteristic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L34	211	(error data) near6 (attribute or characteristic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L35	0	device ID flag and (cache or buffer) near4 (switch or bridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L36	66	((encrypt\$3 near4 data) with (flag or attribute or indicator)).ab. and (network or node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L37	75	device ID bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L38	29	(encrypt\$3 near5 (attribute or indicator or flag) near5 data) and 711/???.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L39	820	(encrypt\$3 near5 (attribute or indicator or flag) near5 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L40	308	table near4 device ID and (switch or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42

L41	6	(error data) near6 (attribute or characteristic) and 711/????.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L42	1	identify\$3 near4 physical device and cache near2 (switch or bridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L43	470	(report\$3 or notifi\$6) near4 (error data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L44	3	device ID bit and (cache or buffer) near4 (switch or bridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L45	101	identify\$3 near4 device and cache near2 (switch or bridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L46	68	((report\$3 or notifi\$6) near4 (error data)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L47	390	hitachi.as. and virtual volume	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L48	1540	(error near3 data) near6 (attribute or characteristic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L49	59	device ID bit and (bridge or switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L50	892312	hitachi.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42

L51	490	table near4 device ID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L52	228	identify\$3 near4 physical device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L53	300	table near4 device ID and (switch or bridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L54	1284	(encrypt\$3 near4 data) with (flag or attribute or indicator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L55	0	(flag or bit or indicator) near5 identify\$3 near4 device and cache near2 (switch or bridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L56	0	(encrypting data).ti. and 711/???.ccls.	USPAT	ADJ	ON	2008/04/14 06:42
L57	29	(encrypt\$3 near5 (attribute or indicator or flag) near5 data) and 711/???.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L58	164	hitachi.as. and (virtual volume).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42
L59	15	table near4 device ID and (switch or bridge) near2 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 06:42

4/14/2008 7:01:31 AM

C:\ Documents and Settings\ cwalter\ My Documents\ EAST\ Workspaces\ 10.663700.wsp

/CEW/